



Hose Clamp with Worm-Gear

Standard clamp for fastening light hose types to connecting pieces on mobile and stationary installations

Product Details

Construction / Material

- **Clamp Design:** Clamp band designed with a band width of approx. 12 mm, Clamp band designed with a band thickness of approx. 0.5 - 1 mm, Clamp with housing, worm thread and clamping screw, Clamping screw in sizes M5-M10 designed as slotted hexagon screw
- **Material of the clamp:** Galvanised steel

Properties

- **Chemical Properties:** rust-protected

Operating Temperature

Delivery Information

Application Areas

Customizing Options

Article Variants

Article number	Clamping range mm
002038	20 - 35
002040	27 - 45
002042	35 - 55
002044	45 - 65

Article number	Clamping range mm
002046	55 - 75
002048	65 - 85
002050	75 - 95
002052	85 - 105
002054	95 - 115
002056	105 - 125
002058	115 - 135
002060	125 - 145
002062	135 - 155
002064	145 - 165
002066	155 - 175
002068	165 - 185
002070	175 - 195
002072	185 - 205
002073	195 - 215
002075	205 - 225
002077	215 - 235
002079	225 - 245
002080	235 - 255
002082	245 - 265
002084	255 - 275
002085	265 - 285
002087	275 - 295
002089	285 - 305
002091	295 - 315
002093	305 - 325
002095	315 - 335
002096	335 - 355
002097	345 - 365
002099	365 - 385
002100	375 - 395
002101	385 - 405
002102	395 - 415
002104	405 - 425
002105	435 - 455
002106	450 - 470

Subject to technical changes and colour deviations

Delivery Variants

Available in other lengths, other nominal diameters, with customer-specific customer-specific imprint.

Individual consultation

We offer consultation by
phone:
+49 209 97077-112

Product requests via
[masterflex.de/en](https://www.masterflex.de/en)

Address Headquarters

Masterflex SE
Willy-Brandt-Allee 300
45981 Gelsenkirchen

